



SEAL REEL

Manufactured By APC GROUP, INC.

The Seal Reel is the only retractable outdoor extension cord reel engineered for reliable power solutions in tough environments. Conforming to UL Standards UL 355, and CSA C22.2 No. 308, it is built for outdoor use. Designed for industrial and commercial use, the Seal Reel provides unmatched durability and performance, making it the ideal choice for customers who demand excellence.

Seal Reel SPECS

1. Weatherproof and Durable: Patented waterproof design ensures resilience in all weather conditions, including rain, snow, and heat.
2. UL and CSA Certified: Meets rigorous safety standards, providing peace of mind for any applications.
3. Industrial Strength: Built to handle heavy-duty use, making it perfect for outdoor use.
4. Exceptional Reliability: With a failure rate of only 0.01% across over 1 million cord reels sold, the Seal Reel exemplifies exceptional reliability and quality. This impressive track record underscores our commitment to delivering superior performance.

NEW PRODUCT AVAILABLE NOW



The only 50FT/70FT/80FT retractable 12/14 gauge with a 20 amp breaker. The first weatherproof cord reel. Manufactured with lighted plugs, water resistant, and oil resistant.



Used to provide outdoor retractable power for all of your outdoor appliances.



New 12 Gauge 50ft. and 70ft. 14 gauge 80ft. 20 amp. Breaker. Includes lighted plugs and swivel mount bracket. Pedestal supports 1 to 2 reels, includes electrical boxes, hardware, and reflective tape.




PRODUCT SPECIFICATIONS


Large Reel	Model Number	Length	Breaker Amp	Gauge	Retractable End	Non-Retracting End	Ship Weight
 All models include swivel bracket.	SR-502012-F	50	20	12/3	Female	Male	18lbs.
	SR-702012-F	70	20	12/3	Female	Male	20lbs.
	SR-802014-F	80	20	14/3	Female	Male	22lbs.
Small Reel	Model Number	Length	Breaker Amp	Gauge	Retractable End	Non-Retracting End	Ship Weight
 Mounting brackets sold separately	SR-202012F	20	20	12/3	Female	Male	13lbs.
	SR-302014-F	30	20	14/3	Female	Male	13lbs.
	SR-401516-F	40	15	16/3	Female	Male	14lbs.
	SR-202012-M	20	20	12/3	Male	Female	13lbs.
	SR-302014-M	30	20	14/3	Male	Female	13lbs.
	SR-401516-M	40	15	16/3	Male	Female	14lbs.

Pedestals & Brackets	Model #		Shipping Weight
 ALP-4-2 Pedestal	SRP-40-2	40" pedestals, powder-coated hammer black, supports two cord reels. Includes two watertight outlets, mounting brackets, hardware, and reflective tape.	22 lbs.
	SRP-40-4	40" pedestals, powder-coated hammer black, supports four cord reels. Includes four watertight outlets, mounting brackets, hardware, and reflective tape.	24 lbs.
	SRMP	Mounting plate for small reels, mounts to wall, pole, and post.	2 lbs.
	SRLB	License plate bracket for small reels. Fits all vehicles and trucks. Comes with bracket, mounting hardware, and decorative plate.	4 lbs.
	SRCB	Ceiling bracket for small reels.	2 lbs.

CORD REEL SPECIFICATIONS



Large cord reels provide 50 - 80 feet in 12 or 14 gauge, with a 20 amp. breaker. Includes swivel bracket.



Small cord reel provides 10 - 40 feet in 12, 14, and 16 gauge with 20, 15, and 13 amp breakers. Requires additional mounting brackets.

Samples are available upon request for evaluations at no charge.



The Seal Reel comes in Black or White.



SRRB used to mount
to cieling or wall.

**APC GROUP INC. 219
S. William Dillard
Building. 4
Gilbert AZ 85233**



**Visit Sealreel.com for
additional information**

